Int. J. Ayur. Pharma Research, 2014; 2(3): 63-68 ISSN: 2322 - 0910



International Journal of Ayurveda and Pharma Research Research Article

PHYTOCHEMICAL STUDY OF *GOKSHUR* (*TRIBULUS TERRESTRIS* LINN.) AND EVALUATION OF ITS ANTIBACTERIAL ACTIVITY WITH SPECIAL REFERENCE TO *MUTRAKRUCHCHA*

Rajshree D. Shelke¹, Ashok D. Ramteke^{2*}, Rajani A. Patankar³

¹Assistant Professor, Department of Dravyaguna, Ayurved Mahavidyalaya, Sion, Mumbai, India. ^{*2}Professor and HOD, Department of Dravyaguna, Ayurved Mahavidyalaya, Sion, Mumbai, India. ³Professor, Department of Sharir Rachana, Ayurved Mahavidyalaya, Sion, Mumbai, India. Received on: 07/06/2014 Revised on: 11/06/2014 Accepted on: 18/06/2014

ABSTRACT

Infection of the urinary tract is the second commonest site after respiratory tract infection. It is more frequent in women than men. Almost 50% women suffer UTI. In our classical texts, urinary tract infection is described as Mutrakruchcha. A great Acharya Charak has mentioned it in Chikitsa sthana, Trimarmiya adhyay, its 8 types and *Basti* as a *Marma*. For the treatment of all types of *Mutrakruchcha*, Gokshur is mentioned. Gokshur is diuretic, aphrodisiac, tonic and rejuvenating herb with the ability to build lean muscle and strength. Gokshur possess Madhur rasa, Madhur vipaka and sheet Virya which causes diuresis by increasing Kleda in the body. So in this study 30 patients complaining of urinary tract infection were taken. 50 ml of *Gokshur* decoction, twice a day was given orally for 30 days. Weekly assessment was done on the basis of sign and symptoms like Mutra daha (burning micturition), Sashula mutrapravruti (painful micturition), Bastishul (suprapubic pain), Mutrapravruti (frequency of micturition), Jwaraprachiti (fever with chills), Sarakta mutrapravruti (haematuria), Sapuya mutrapravruti (pyuria). Objective improvement was done on the basis of reduction in pus cells in urine and serum creatinine at initial and after 30 days. Subjective improvement was shown in percentage it was 67.71%. The observations were found to be significant. Paired t test was found to be highly significant at 1 % level of significance i. e. p < 0.01.

KEYWORDS: Mutrakruchcha, Gokshur, Dysuria, Tribulus terrestris Linn.

INTRODUCTION

Ayurveda, the Indian Indigenous system of medicine, dating back to the Vedic period (4500-1600 B. C.) has been integral part of Indian culture. It is Upaveda of Atharva veda, which has detailed description of medicinal plants, their properties, therapeutic uses and means to achieve healthy long life. The mains of *Ayurveda* are to maintain the health of healthy persons primarily and to cure the ailments of diseased once secondary^[3]. Thus Avurved defines life as the union of body, mind and soul^[2]. The living man, a man of action *(Karma* purusha) is a union of Tridoshas (Three humours), *Sapta Dhatus* (seven basic tissues) *Trimalas* (three excretions). and These constitute the Deha (Body matrix). When there is imbalance between these above said entities, disease or *Roga* manifests^[4]. Kidney guard blood volume, filter the blood and form urine, regulate water, electrolytes and acid-base produce some hormones balance, and participate in the metabolism. Approximately 50-70% of the body weight attributed to water^[18]. Urinary tract infection is very common. Low osmolality of urine, glucose, obstruction to urine flow, ph. between 6.0-7.0 favors bacterial growth causing UTI ^[1]. In the course of time modern science has developed and acquired more and more scientific and precise methods to treat the patient by doing progressive work on clinical and laboratorial evaluation of modern drug in various diseases. Modern science has established various drugs with their pharmacological action and efficacy in dysuria, including diuretics, urine alkanisers, and various antibiotics. In Ayurved, Basti is

described as an important organ (Marma)^[6]. For the treatment of all type of *Mutrakruchcha*, Gokshur is mentioned. Gokshur possess Madhur rasa, Madhur vipaka and Sheet virva^[7, 9-15], which causes diuresis by increasing *Kleda* in the body Gokshur and also described for various therapeutic uses in diseases like Mutrakrucha, Mutraghat, Alpamutrata, Mutrashmari, Shwas and Shotha^[19-24]. It has to accept the new challenges and be prepared to answer the queries of the modern man who has a right to know how the drug administered? How the drug is acting? What is the dose of the drug? To meet this new thrust of inquisitiveness, proper pharmacological evaluation on clinical ground of all Avurvedic medicine is mandatory. Here we are going to evaluate the antibacterial action of Gokshur.

MATERIALS AND METHODS

Selection of cases

There was random selection of patient from O. P. D. and I. P. D. of Sheth R. V. Ayurvedic Hospital, Sion; Mumbai, India. Known cases of urinary tract infection were taken. Study was carried out as per Ethical Clearance Number-AMS/1560/13-14.

Type of study

Open labeled study.

Inclusion Criteria

- 1. Either sex
- 2. Age between 18yrs-60yrs
- 3. OPD/IPD
- 4. Known cases of urinary tract infection

Exclusion criteria:

- 1. Age less than 18 yrs and more than 60 yrs.
- 2. History of acute and chronic renal failure.
- 3. Patient's with major systemic illness e. g. AIDS, Diabetes Mellitus, Renal failure, HBsAg +ve, IHD, M. I. cancer, Tuberculosis, hepatic ailments.

Study design

Total no. of cases: 30

Duration of study: 30 days

Drug source: *Panchang of Gokshur (Tribulus terrestris* linn.)

Formulation: Decoction of *Gokshur* (*Tribulus terrestris* linn.)

Mode of administration: Oral

Dosage: 50 ml twice a day

Anupana: *Koshnodak* (Lukewarm water) Diet: *Vyadhihetukara* diet is restricted Follow-up: Every 07 days after first visit.

Assessment of Efficacy

A) Subjective improvement

Weekly assessment in reduction of following symptoms $^{5}\!.$

- 1. Burning micturition
- 2. Painful micturition
- 3. Suprapubic pain
- 4. Frequency of micturition
- 5. Fever with chills
- 6. Hematuria
- 7. Pyuria

B) Objective improvement

- 1. Sr. Creatinine
- 2. Urine (Routine/microscopic)

Gradation according to symptoms is as follows

- 1. Burning micturition
 - 0 Absent
 - 1 Occasionally
 - 2 Occurs at particular time
 - 3 Continue
- 2. Painful micturition
 - 0 Absent
 - 1 Occasionally
 - 2 Occurs at particular time.
 - 3 Continue
- 3. Suprapubic pain
 - 0 Absent
 - 1 Mild
 - 2 Moderate
 - 3 Severe
- 4. Frequency of micturition per day
 - 0 5 to 7 time
 - 1 8 to 10 time
 - 2 11 to 13 time.
 - 3 More than 13 time
- 5. Fever with chills
 - 0 Absent
 - 1 Occasionally
 - 2 Occur at particular time
 - 3 Continue
- 6. Hematuria
 - 0 Absent
 - 1 Occasionally

- 2 Occur at particular time
- 3 Continue
- 7. Pyuria
 - 0 Absent
 - 1 Occasionally
 - 2 Occur at particular time
- 3 Continue

STATISTICAL ANALYSIS

Paired t-test to objective parameters at baseline and at the end of study (after 30 days)⁸. Subjective improvement has been shown in percentage.

RESULTS

Table 1: Symptomatic relief within groups

SYMPTOMS	% of relief
Burning micturition	70%
Painful micturition	88%
Suprapubic pain	90%
Frequency of micturition	75%
Fever with chills	65%
Pyuria	30%
Hematuria	56%

Table 2: Symptom wise relief in %

	No. of Patients	Symptom wise relief %		
Gokshur decoction	30	67.71%		

Table 3: Comparative renal investigation before and after starting the treatment with Gokshu	ır
--	----

Patient	S.Creatinine			
	Before X ₁	After X ₂	X1-X2	X ²
1	4.0	3.8	0.2	0.04
2	3.5	3.6	-0.1	-0.2
3	2.8	2.9	-0.1	-0.2
4	3.8	3.6	0.2	0.04
5	4.5	4.2	0.3	0.09
6	5.0	4.8	0.2	0.04
7	4.0	4.2	-0.2	-0.4
8	3.2	3.4	-0.2	-0.4
9	3.7	3.2	0.5	0.25
10	3.9	3.6	0.3	0.09
Total			5.6	-0.65

 MD(X)
 SD
 SE
 T value

 0.56
 0.648
 0.22
 2.5

Table 4: Comparative Urine examination before and after starting the treatment

Patien	t		րլ	is ce	11						
		Be	efore		Afte	r	Mean	of	Mean of	X ₁ - X ₂	X ²
							Before X	1	After X ₂		
1		10)-12		4-5		11		4.5	6.5	42.25
2		10)-12		0		11		0	11	121
3		6-	8		2-3		7		2.5	4.5	20.25
4		6-	8		0		7		0	7	49
5		16	5-18		0		17		0	17	289
6		10)-12		3-4		11		3.5	7.5	56.25
7		20)-25		25-3	0	22.5		27.5	-5	-10
8		4-	5		0		4.5		0	4.5	20.25
9		4-	5		0		4.5		0	4.5	20.25
10		12	2-15		10-1	5	13.5		12.5	1	1
Total										58.5	609.2
MD(X)	SE)	SE	Τv	alue				-	•	
5.85	5.4	44	1.72	3.4	0						


Sr.No.	Parameters	Result				
1)	Description	Yellowish brow	Yellowish brown amorphous powder,			
		slightly sweet, characteristic gandha				
2)	рН	6.4	6.4			
3)	Moisture content	NMT 5%	NMT 5%			
4)	Water soluble extractive value	NLT 60% w/w				
5)	Alcohol soluble extractive value	NLT 40% w/w				
6)	Chloroform soluble extractive value	Insoluble in chlo	oroform			
7)	Ash value	NMT 5 %w/w				
8)	Elements					
	Lead (Pb)	Less than detectable limit.				
	Mercury (Hg)	Less than detect	Less than detectable limit.			
	Cadmium (Cd)	Less than detect	Less than detectable limit.			
	Arsenic (As)	Less than detect	Less than detectable limit.			
9)	TLC					
	Sample	Gokshur (Tribulus terrestris Linn				
	Solvent system	Chloroform				
	Detection	After spraying a	nisaldehyde H ₂ SO ₄			
		R _f value	Colour			
		0.92	Yellowish green			
		0.54	Yellowish green			
		0.44	Yellowish green			
		0.35	Yellowish green			
		0.22	Yellowish green			
		Dark blue				

Table 5 : Phytochemical Analysis

RESULTS

Subjective evaluation showed that there was significant improvement in symptoms of 30 patients. Percentage of relief in symptoms observed like Burning micturition 70%, Painful micturition 88%, Suprapubic pain 90%, Frequency of micturition 75%, Fever with chills 65%, Pyuria 30% and Hematuria 56% (Table 1). Result was evaluated by percentage of relief in each sign and symptoms of every patient was 67.71% (Table 2). In objective evaluation the level of pus cell in urine was reduced significantly. t value=3. 40 at 1% level of significant i. e. P< 0. 01 the level of serum

creatinine was reduced significantly, t value =2.5 at 5 % level of significant i. e., P < 0.05 (Table 4). Total effect of therapy was evaluated by percentage of relief in each sign and symptoms of every patient. It was observed that maximum patients were markedly improved. The improvement in sign and symptoms was 67.71% (Table 2). The phytochemical analysis of powder of Gokshur (Tribulus terretris linn) was done at Zandu pharmaceuticals, Mulund. The obtained values were in accordance with the standard Ayurvedic Pharmacopeia of India values (Table 5).



are UTI symptoms mainly Pitta predominant, Gokshur with its Shita veerya cools and soothes the urinary tract membrane by pitta shaman. It reduces inflammation and pain. Gokshur with its Madhur rasa- vipaka and Snigdha guna increase Sharirastha kleda. Kleda increases urine formation^[16]. It also has *Balya* action on Basti (urinary bladder). Urine contains metabolic waste, water, salt and toxins such as urea. 80-85% UTI is because if E. coli. infection. 10-15% because rest of Staphylococcus saprophyticus and klebsialla. Presence of RBC, WBC, sugar proteins pus cells, etc indicates pathology in different parts of urinary tract. During the study, it is observed that Gokshur causes sodium loss from urine i.e. nitriuresis ^[17]. As these solutes are not absorbed from the tubules it causes osmosis, so more and more water is drained away through the tubules causing diuresis. Gokshur contains saponin in large amount and this saponin must be acting as osmotic diuretics. So it acts as a diuretic by causing natriuretic. Gokshur preserve normal pH and reduce bacterial load. But it will be very difficult to state exact site of action of Gokshur.

CONCLUSION

The study has shown that 60% of the patients have improved completely symptomatically as well as biochemical investigation. 30% of the patients have got better relief, 10% of them have not improved. The study has shown that *Gokshur* has got antibacterial activity for the organisms responsible for lower urinary tract infection. As

Gokshur is acting as mild diuretic drug, it can be used in various disorders where there is fluid imbalance like cardiac, Renal, Liver diseases. So also it can be used in the patients who have got pedal edema, ascites, and generalized anasarca.

Again it can be used in the patients who have got renal calculus of small size, to flush out the stone. As this drug is a very weak diuretic, it can be used only in early cardiac failure i. e. in those who have got dyspnea exertion-grade I to II. But this cannot be used in acute renal failure or acute ventricular failure. So it is wonder drug of *Ayurved* causing increase in frequency of urination with its high doses and decreases frequency of urination with its low doses.

REFERENCES

- Chakraborty P. A text book of Microbiology, Central prakashan, Edition 1st 1995s, page no. 577
- 2. Dr Tripathi, B., Charak Samhita, Chaukhamba surbharati Prakashan, Edition 4th 1995, Sutra sthana chapter 1/42, page no. 14
- 3. Dr Tripathi, B., Charak Samhita, Chaukhamba surbharati Prakashan, Edition 4th 1995, Sutra sthana chapter 30/26, page no. 565
- 4. Dr Tripathi, B., Charak Samhita, Chaukhamba surbharati Prakashan, Edition 4th 1995, Sutra sthana chapter 9/4, page no. 208
- 5. Dr Tripathi, B., Charak Samhita, Chaukhamba surbharati Prakashan, Edition 4th 1995, Vimana sthana chapter 5/8, page no. 699
- 6. Dr. Gadre G. K., SarthaVagbhat, Anamol prakashan, pune, revised edition 1994, ashtang hridaya chapter 4/41, 48, 52, page no. 149.

- 7. Dr. Paranjape P., Indian Medicinal Plants, chaukhamba surbharati prakashan Edition 1ST, 2001, page no 85.
- 8. Mahajan BK, Methods in Biostatistics, Edition 7th, page no 117.
- 9. Pro. ChunekarK. Bhavaprakashnighantu, Chaukhambabharati prakashan, varanasi, 2010, Guduchyadi Varga(45-46), page no 279.
- Pro.Vishnu Mahadeo Gogate, Dravyaguna vidnyan, vaidyamitra prakashan,1stedition, (2008) pg no. 377-379.
- 11. Acharya Sharma Priyavat, Kaiyadev nighantu chaukhamba orientalia, Varanasi, Edition 1st 1979, Aushadhi varga (69-70) page no16.
- 12. Dr. Tripathi I., Raj nighantu, Krushnadas academy, Varanasi, Edition 1st 1982, Shatavahadi varga 43, page no 69.
- 13. Vaidya Bappalal, Aadarsha nighantu, chaukhamba bharati academy, Edition 2nd, Tiladi varga 82, page no 202.
- Dr. Sharma G., Sharma P., Dhanvantari nighantu, Chaukhamba orientalia prakashan, Edition 1st, 1982, Guduchyadi varga, page no. 34.
- 15. Dr. Tripathi B., Sharangdhar samhita, Chaukhamba prakashan, Edition 2 nd, 2001, madhyam khand 2/107, page no148.

- 16. Phadake A., Dravyaguna shashtram, Pratham pushpa, In:Joshi H, editor, published by Vaidya Vaman Rao beenanath, Mumbai, shuddhayurved patya samiti 1960, page no. 27.
- 17. Shastry JL. Edition 1 st, vol. 1, Varanasi, Chaukhamba orientalia, 2004, illustrated Dravyuguna Vignana, page no. 102.
- 18. Churcchill livingstone, Davidson's principle & practice of medicine, Edition20 th, 2006, Kidney & urinary track disease, page no. 457.
- 19. Verma Priyanka, Galib, Patgiri BJ, Prajapati PK. "Tribulus terrestris Linn: A Phytopharmacological review". Journal of Ayurveda & Holistic medicine. July 2013/Vol 1/Issue 3. (ISSN:2321-1563).
- 20. <u>http://www.satveda.com/p/gokshur</u>. (Nov 19, 2005)
- 21. www.ekay.co.uk/bhp/gokshura (5 June 2014). <u>http://www.</u> <u>suryaayurvedics.com.au/herbs/gokshura-</u> <u>tribulus</u> terrestris (5 June 2014).
- 22. <u>http://www.herbalremedy.in/product details.</u> <u>php?category id=13&item id=570</u> (5 June 2014)
- 23. http://www.fushi.co.uk/health/herbal/supple ments/ayurvedic-herbs/gokshura-capsulesorganic-by-fushi-wellbeing. html (5 June 2014)

Cite this article as:

Rajshree D. Shelke, Ashok D. Ramteke, Rajani A. Patankar. Phytochemical Study of Gokshur (Tribulus Terrestris Linn.) and Evaluation of its Antibacterial Activity with Special Reference to Mutrakruchcha. Int. J. Ayur. Pharma Research. 2014;2(3):63-68.

Source of support: Nil, Conflict of interest: None Declared

*Address for correspondence Dr. Ramteke Ashok D Professor & H.O.D. Dept. of Dravyagun Ayurved Mahavidyalaya Sion, Mumbai, Maharashtra, India. Email: drashokramteke1@gmail.com Phone: +919892904151