

International Journal of Ayurveda and Pharma Research

ISSN: 2322 - 0910

Review Article

A REVIEW ON CLINICAL EXAMINATION OF AGNIBALA (DIGESTIVE POWER)

Nath Rupashri¹, Mahajon Bidhan^{2*}, Sengupta Apala³, Chaterjee Abichal⁴, R. Remadevi⁵

 $^1\mathrm{PG}$ Scholar, Department of Roganidana and Vikriti vijnana , IPGAE&R at SVSP, Kolkata, West Bengal, India.

*2PG Scholar, Department of Dravyaguna Vijnanam, VPSV Ayurveda College, Kottakkal, Kerala, India.

³Lecturer, Department of Roganidana and Vikriti vijnana, IPGAE &R at SVSP, Kolkata, West Bengal, India.

⁴Reader, Department of Samhita and Siddhanta, IPGAE & R at SVSP, Kolkata West Bengal, India.

⁵Professor and HOD, Department of Dravyaguna Vijnanam, VPSV Ayurveda College, Kottakkal, Kerala, India.

ABSTRACT

Ayurveda, the science of life mainly deals with the preventive aspect of diseases along with curative aspect and this is the aim of Ayurveda. For that prevention purpose life style modification is very much essential now a day. Some factors are responsible for the formation of a disease among of them Agni is one of the most important factor. Agni plays an important role to sustain the life process. All the diseases are caused due to impaired function of Agni. According to modern science, Gastric juice and enzymes functioning at gastro intestinal level, all are responsible for digestion, absorption and metabolism. Altered function of the enzymes secreted from gastro intestinal tract is responsible for production of gastro intestinal diseases. Function of Agni is likely to be compared with gastric juice and different enzymes at gastro intestinal level. In the present era, the diseases related to Annavaha srota and Purishvaha srota (Gastro intestinal system) are commonly found in clinical practice. In the pathogenesis of disease, Dosha, Dusya, Srota, Agni and Ama (Prime causative factors of diseases) are required to be analyzed for fruitful treatment. In present study center of attention has given on clinically evaluation of Agnibala (Digestive power) based on Ancient classical theory.

KEY WARD: *Agnibala*, Clinical evaluation, Preventive, Healthy life.

INTRODUCTION

Ayurveda is the science of life. It is used in both preventive and curative aspects. We know that "Prevention is better than cure". So for prevention purpose life style modification is very much essential now a day. Some factors are responsible for the formation of a disease among of them Agni is one of the important factors. If we care about this then we may carry healthy life. Agni is the factor if it is in normal state then every function of body will occurs naturally like-Ayu, Varna, Bala, Swastha, Utsaha etc^[1]. When derangement of Agni occurs then produced diseases. Now in the present era, the diseases related to Annavaha srota and Purishvaha srota are commonly found in clinical practice.

Agnibala term is formed by two wards Agni and Bala. It indicates the ability of digestion, metabolism and absorption. In Ayurveda about

13 types of Agni has described among them *Jatharagni* is the main *Agni*^[2]. Here specifically Agnibala indicates to the power of Jatharagni. *Agnibala pariksha* is essential in every individual prior to examine the diseases. It is necessary to examine the existence of a possible co relation among Agnibala as understood from Jaranshakti (digestive capacity). Acharya Charaka has mentioned that *Agni* is examine by *Jaranshakti*^[3]. Again it is described that the quantity of food to be taken again depends upon the power of digestion including metabolism and absorption that means depends on *Agnibala*. In this context Chakrapani clearly mentioned that Agnibala is depends on some factors like-Ritu, Vayah eg-Agnibala is maximum in Hemanta ritu and Youvan kala and minimum in Varsha and Vardhakva. On the basis of this Aharamatra is depended on *Agnibala*^[4]. *Agnibala* examination is not only concerned with the determination of the functional state of *Agni* but also its capacity to metabolize the digested food and produced energy.

METHODS

Methods of *Agnibala pariksha* mentioned in our classical text^[5]. It can be done by

- 1. Jaran Shakti- i.e., Jeerna ahara lakshana
- 2. Mala pariksha.
- **1.** *Jaran Shakti*: It indicates the proper *Ahara paka* (digestion). In context to *Jaran shakti* capacity for food can be examined from two angles like the power of ingestion as well as the power of proper utilization of it. Digestion or metabolism depends on *Agnibala*. Digestion of food when taken in large quantity is indicative of ones capacity for ingestion (Chakrapani 8/120). Our great *Acharya* has described about *jeerna ahara lakshana*^[6-8]
- A. Udgara suddhi- Normal eructation (physical).

Utshaha - Cheerfulness (mental)

Vega Utsarga - Passing motion without

force (physical)

Yathachitosarga - Passing motion depending

upon the nature of the diet

(physical)

Laghuta- - Lightness of the body

(physical)

Kshuda- - Desire for food (physical)

Pipasa - Sensation of thirst

(Mental)

B. Kamkhya - Desire for food (Mental).

Vuvukshya - Hunger (physical).

Vaisadya - A sense of cleanliness

(mental)

Laghuta - Lightness of the body

(physical)

Sthirata - Sturdiness (physical)
Sukham - Pleasure (mental).

Svasthavrittanuvritti - Continuity of health

(physical)

C. Kshuda- Desire for food (physical).

Vega- Proper urges (Physical).

Mukshya- Aptitude for work (physical).

Laghuta- Lightness of the body (physical).

2. Mala in relation to Agnibala^[9]: An important criteria of normal digestion is as related to the nature of fecal matter or mala voided by an individual. The nature of fecal matter even under normal conditions depends to a large extent

upon the nature of the diet consumed (*Vijoyrakshita*). During the examination 3 days under observation, no active treatment and *Satma* (Proper) diet should be administered. Following parameter should be observed:

- **A. Time, number and quantity of motions**: For normal individual frequency of void stools twice a day. For *Paittik prakriti* person frequency of passing stool to be several in no. (Ca.Vi 8/97). In case of *Vata prakriti* to be less. Quantity and no. of motions increased in *Atisara* and *Pravahika*-indicating impairment of Agni.
- **B.** Akriti or appearance of stool: Normally ripe banana fruit or cylindrical in shape. The appearance of stool is indicative of the condition of *Jatharagni* (Digestive fuel).
- **C.** Samhatatva or consistency: The consistency of normal stool resembles that butter in summer time i.e. semi liquid. It should be variable according to person on the basis of food and consume. In Vata dusthi consistency of stool has been described as Suska, Tanu, Vijjala. In Pitta Dusthi it becomes Drava and in Kapha dusthi it becomes Tantumat (thread like). Thus from the consistency of the stool the functional states of Jatharagni as well as Dhatwagni can be studied and described.
- **D. Colour of** *Purisha* **(stool):** Colour of normal stool varies from light to dark brown. In *Vata* vitiates stool to produced *Krishna, Syava, Aruna* colours, *Pitta* produces *Neela, Pita, Rakta, Krishna* and *Kapha* produces *Sweta varna* (Whitish colour). Thus the colour of the stool is the is the index of local as well as general condition of body.
- **E. Gandha or smell:** Smell furnishes information relating the function of *Pakwasaya*. *Gandha* of *Purisha* may vary according to diet taken. When there is more indigestive parts then correlated to *Jatharagni mandya*. Thus the smell of *Purisha* (Stool) has reference to some of the function of *Jatharagni*.
- **F.** *Jala pariksha*^[10]: It is mentioned in *Samhita granthas* by giving of small quantity of the specimen to a cup of clean tap water and following points are noted.

Whether it floats or sinks: If floats it is to be inferred that *Ahara pachana* (food Digestion) and *Drava Soshana* (water absorption) have satisfactorily taken place in the *Adho amashaya* (lower part of stomach) and *Pakwashaya* (intestine) respectively. Functional state of these two parts also inferred by this examination. An exception to this rule is whether the motion is watery or seybalous, very cold or mixed with

ISSN: 2322 - 0910

mucus, then it related to *Ama dosha*, that will be obvious even without *Agnibala pariksha*.

Whether it is *Avasadi* (ca.ci 19:5) sinks or dissolves, *Vipluta* (floats and spread) interpretation in this two are for *Vatatisara*.

Other factors: *Ama, Krimis,* undigested food particles are also to be noted, they furnish information as regards the functional states of *Agni.*

DISCUSSION

Agni is seated at the sight of Grahani which is located above the umbilical region and the organ restrain the down ward movement of the undigested food till it is fully digested^[11]. If Agnibala is maximum then this process occurs continuously. According to modern science, it is also seen that digested system is composed of the gastrointestinal tract, three pairs of salivary glands, the liver and pancreas. The digestive system receives the food composed of protein, lipids, carbohydrates, vitamins, minerals and water of them the proteins, lipids, and carbohydrates require digestion but all need to be absorbed from the gut. The food we take is placed first in the mouth and then chewed to make it suitable for swallowing by mixing with saliva, the secretion of salivary glands, the food is then formed into bolus which is swallowed with the help of tongue, pharvnx, palate etc and is passed through the esophagus to the stomach. In stomach the bolus is mixed with the gastric juice and is pulverized by the movements of stomach. The food is converted into chime, a semi fluid substance and then sent into the duodenum. In the small intestine the chime mixes with the secretion from liver and pancreas. Along with these two there is also the secretion from the small intestine which also mixes with the chime by the agitation produced by the movements of the small intestine and the process of digestion continuous. After digestion, extensive absorption occurs in the small intestine and whatever remains at the end is delivered to large intestine. In colon there is absorption of water and electrolytes along with other materials and the chime is converted into a semisolid mass. This is stored in pelvic colon. During defecation this semisolid material is passed out as stool through rectum and anal canal^[12]. The function of Agni can be compared with the gastric juice, different enzymes, hormones at G.I level^[13]. Altered function of the enzymes secreted from G.I tract is responsible for production of gastro intestinal diseases. The digestion, absorption, metabolism all are depends on the different secretion,

enzymes, or hormones of G.I system as well as on *Aani*.

CONCLUSION

Therefore, from the above discussion we can say that *Agnibala* is very much essential for proper digestion metabolism and for absorption. Capacity to intake of food is depend on the proper digestion. Proper digestion can be seen by the proper stool formation. In this path way all the responsible factors if works properly then it reaches to the ultimate goal.

REFERANCES

- 1. Charak Samhita of Agnivesha with Ayurved Deepika commentary of Chakrapani Dutta, Edited by-Yadavji Trikamji Acharya, published by -Chowkhamba Orientala, Varanasi, 2009ed. Chikitsa sthan, chapter 15, sloka no 3-4, page no 512.
- 2. Charak Samhita of Agnivesha with Ayurved Deepika commentary of Chakrapani Dutta, Edited by-Yadavji Trikamji Acharya, published by -Chowkhamba Orientala, Varanasi, 2009ed. Chikitsa sthan, chapter 15, sloka no 38, page no 516.
- 3. Charak Samhita of Agnivesha with Ayurved Deepika commentary of Chakrapani Dutta, Edited by-Yadavji Trikamji Acharya, published by -Chowkhamba Orientala, Varanasi, 2009ed. Viman sthan, chapter 4, sloka no 8, page no 248.
- 4. Charak Samhita of Agnivesha with Ayurved Deepika commentary of Chakrapani Dutta, Edited by-Yadavji Trikamji Acharya, published by -Chowkhambha Orientala, Varanasi, 2009ed. Sutra sthan, chapter 5, sloka no 3, page no 36.
- 5. Concept of agni in ayurveda by Bhagwana Das,Published by Chowkhambha Orientala,Varanasi 221001,Page no 127.
- 6. Madhav Nidan of Madhav kar with Madhukosh Commentary by Vijayrakshita and srikantadutta and with extracts from Atankadarpan by Vachaspati Vaidya,Edited by-Acharya Yadavji Trikamji,Published by-Chaukhambha Orientalia,Varanasi 221001,2010ed,Chapter- 6,Sloka no-24,page no 91.
- 7. Kasyapa samhita of Vriddha Jivaka with Sanskrit introduction by Pandit Hemaraja Sharma, Edited by srisatyapala Bhisagacharya, Published by Chaukhambha Sanskrit sansthan, Varanasi, 2008ed, Sutra sthan, Chapter-24, Page no-31.
- 8. Charak Samhita of Agnivesha with Ayurved Deepika commentary of Chakrapani

- Dutta,Edited by-Yadavji Trikamji Acharya,published by -Chowkhambha Orientala,Varanasi,2009ed,chikitsa sthan,Chapter 30.sloka no 303.page no- 646.
- 9. Concept of agni in ayurveda by Bhagwana Das, Published by Chowkhambha Orientala, Varanasi 221001, Page no 150.
- 10. Charak Samhita of Agnivesha with Ayurved Deepika commentary of Chakrapani Dutta, Edited by-Yadavji Trikamji Acharya, published by -Chowkhambha Orientala, Varanasi, 2009ed, chikitsa sthan, Chapter 15, sloka no 94, page no- 519.
- 11. Charak Samhita of Agnivesha with Ayurved Deepika commentary of Chakrapani Dutta, Edited by-Yadavji Trikamji Acharya, published by -Chowkhambha Orientala, Varanasi, 2009ed, chikitsa sthan, Chapter 15, sloka no56-57, page no- 517.
- 12. Mahapatra Anil Baran Sigha, Essentials of Medical physiology, Published by Current books international, Sec 3, Reprint 2005.
- 13. Introduction to Kayachikitsa by C.Dwarakanath, Published by Chowkhamba Orientala, Varanasi 221001, 1986 Ed, page no-46&49.

Cite this article as:

Nath Rupashri, Mahajon Bidhan, Sengupta Apala, Chaterjee Abichal, R. Remadevi. A Review on Clinical Examination of Agnibala (digestive power). Int. J. Ayur. Pharma Research 2014; 2(2): 79-82.

Source of support: Nil, Conflict of interest: None Declared

*Address for correspondence Dr. Bidhan Mahajon

PG Scholar

Department of Dravyaguna Vijnanam VPSV Ayurveda College Kottakkal, Kerala, India,

Pin-676501

Email: bidhanmahajon@gmail.com

Mobile-+918593038842