



Review Article

PHYTO-IMMUNOLOGICAL INTERFACE IN PERIODONTICS: A SYNERGISTIC REVIEW OF
AYURVEDIC MOLECULAR THERAPEUTICS AND CONTEMPORARY CLINICAL STANDARDS

Hemant Kumar Nagar^{1*}, Gulab Chand Pamnani², Itika Pamnani³

¹PhD Scholar, ²Professor, Department of Shalaky Tantra, ³Research Associate, IPvC, National Institute of Ayurveda, Jaipur, Rajasthan, India.

Article info

Article History:

Received: 19-04-2026

Accepted: 18-05-2026

Published: 07-06-2026

KEYWORDS:

Periodontal
Regeneration,
Ayurveda,
Molecular
Pathogenesis,
Phytoconstituents,
NF-κB Pathway,
Nano-Dentistry.

ABSTRACT

Periodontal disease is a complex inflammatory disorder involving a dysbiotic microbiome and an aberrant host-immune response. While Scaling and Root Planing (SRP) remains the clinical gold standard, the persistent nature of pro-inflammatory cytokines often leads to recurrence. **Objective:** This review provides a comprehensive molecular exploration of Ayurvedic bioactives and their potential to modulate the periodontal inflammatory cascade, specifically targeting Matrix Metalloproteinases (MMPs) and the NF-κB pathway. **Methods:** A systematic multi-database search (PubMed, Scopus, DHARA, and Web of Science) was conducted for literature published between 2015 and 2025. The review correlates ancient 'Dantamoola' concepts with modern immunomodulatory findings. **Results:** Molecular analysis reveals a synergistic multi-target effect of Ayurvedic phytochemicals. While Curcumin (from *Haridra*) and chebulinic acid (from *Triphala*) act as potent inhibitors of TNF-α, IL-1β, and MMP-9, other bioactives like azadirachtin (from *Neem*) and Glycyrrhizin (from *Yashtimadhu*) provide critical anti-adhesion and immunomodulatory support. Clinical data suggests that integrative protocols, such as *Gandusha* (oil pulling), provide anti-biofilm properties comparable to 0.2% chlorhexidine without associated cytotoxicity. Furthermore, the emergence of 'Nano-Ayurveda' offers a novel sustained-release drug delivery model for localized periodontal therapy. **Conclusion:** An integrative "Bio-Ayurvedic" approach offers a superior, biocompatible, and sustainable therapeutic model. It addresses both the microbial etiology and host susceptibility, bridging the gap between traditional wisdom and modern "Green Periodontics."

INTRODUCTION

The Global Landscape of Periodontal Health

Periodontal disease is a pervasive chronic inflammatory condition that remains a formidable challenge to global public health. According to the World Health Organization (WHO) and the Global Burden of Disease Study, severe periodontitis affects approximately 11% to 15% of the global adult population, making it the 6th most prevalent condition worldwide^[1]. It is characterized by the progressive destruction of the tooth-supporting apparatus, including the gingiva, periodontal ligament (PDL), and alveolar bone.

While historically viewed as a localized infection, modern dental science now recognizes periodontitis as a systemic inflammatory trigger^[2]. Substantial evidence links periodontal health to systemic comorbidities such as Type 2 Diabetes Mellitus, Atherosclerotic Cardiovascular Disease (ACVD), and Adverse Pregnancy Outcomes. The inflammatory mediators- specifically C-reactive protein (CRP) and Interleukin-6 (IL-6)- originate in the periodontal pocket and enter the systemic circulation, exacerbating chronic systemic inflammation.

Evolution of Periodontology: From Microbial to Host-Centric Paradigm- For decades, the "Non-specific Plaque Hypothesis" dominated periodontal therapy, focusing solely on the mechanical removal of bacterial biofilms. However, the shift to the "Dysbiosis Hypothesis" has redefined our understanding. ^[3] We now know that the disease is not caused by the mere presence of bacteria, but by a shift in the microbial

Access this article online

Quick Response Code



<https://doi.org/10.47070/ijapr.v14i6.4147>

Published by Mahadev Publications (Regd.)
publication licensed under a Creative Commons
Attribution-NonCommercial-ShareAlike 4.0
International (CC BY-NC-SA 4.0)

community (the "Red Complex" pathogens) and, more importantly, an aberrant host immune response [4]. Contemporary periodontology emphasizes Host Modulation Therapy (HMT)[5]. While mechanical Scaling and Root Planing (SRP) remain the "Gold Standard," they often fail to arrest the molecular destruction caused by the host's own enzymes, such as Matrix Metalloproteinases (MMPs)[6]. This limitation has led researchers to explore biocompatible, non-toxic, and multi-targeted therapeutic adjuncts found in traditional medicinal systems [7].

Ayurveda: The Ancient Science of 'Dantamoola Swasthya' - In Ayurveda, classification of oral diseases under the branch of Shalakya-tantra. *Dantamoola* are developed from *Rakta Dhatu*[8]. Acharya Sushruta, described 15 distinct types of *Dantamoola Rogas* (periodontal diseases) in the *Sushruta Samhita* [9]. The Ayurvedic perspective on gum health is deeply rooted in the balance of *Tridoshas* (*Vata*, *Pitta*, *Kapha*) and the purity of *Sapta-dhatus* (tissues). Periodontal destruction is primarily viewed as a vitiation of *Rakta* (Blood) and *Mansa* (muscle/gingiva) *Dhatus*, leading to conditions like *Sheetada* (gingivitis) and *Dantapupputaka* (periodontal abscess) [10].

Rationale for Integration: The "Ayur-Genomic" Approach- The need for an integrative approach stems from the limitations of synthetic chemical adjuncts. Long-term use of Chlorhexidine (CHX)- the current gold standard mouthwash- is associated with tooth staining, taste alteration, and mucosal desquamation[11]. Similarly, systemic antibiotics contribute to the global crisis of Antimicrobial Resistance (AMR) [12]. Ayurvedic bioactives, such as *Curcumin*, *Nimbin*, and *Tannins*, provide a "Synergistic Multi-Target" effect. They do not just kill bacteria; they modulate the host's inflammatory pathways, promote tissue regeneration (*Ropesana*), and neutralize oxidative stress [13,14]. This review aims to provide a comprehensive molecular analysis of these Ayurvedic interventions and their clinical integration with modern periodontal protocols.

Scope and Objectives of the Review

1. A molecular exploration of phytochemicals in Ayurvedic herbs and their interaction with the NF- κ B and MMP pathways.
2. A comparative analysis of traditional practices like *Gandusha* (oil pulling) and modern chemical plaque control.
3. Evidence-based clinical data supporting the use of Ayurvedic adjuncts in Non-Surgical Periodontal Therapy (NSPT).
4. A roadmap for "Green Periodontics," focusing on sustainable and biocompatible oral healthcare.

Molecular Pathogenesis and Ayurvedic Pharmacology

- **The Biofilm Architecture and Microbial Dysbiosis** - Periodontal disease is initiated by the formation of a complex, multi-species biofilm on the tooth surface. Modern microbiological analysis, utilizing 16S rRNA sequencing, indicates that the transition from health to disease is driven by a "Dysbiotic Shift" rather than the simple presence of bacteria [15]. In a symbiotic state the oral cavity is dominated by commensal Gram-positive facultative saprophytes, such as *Streptococcus mitis*. However, environmental triggers- including poor hygiene, smoking, and diabetes- precipitate a shift toward a dysbiotic state characterized by the "Red Complex"[16]. This virulent consortium consists of *Porphyromonas gingivalis*, a keystone pathogen that subverts host immunity, *Tannerella forsythia*, which exhibits potent proteolytic activity, and *Treponema denticola*, a highly motile spirochete capable of deep tissue invasion.

- **The Inflammatory Cascade:** Following the establishment of the biofilm, the release of Lipopolysaccharides (LPS) and gingipains serves as the primary biochemical trigger for host tissue destruction. These molecules function as ligands that bind to Toll-Like Receptors (TLR-2 and TLR-4) on gingival epithelial cells and macrophages, initiating a destructive inflammatory cascade [17]. The central mechanism of this response is the activation of the NF- κ B pathway, the "master switch" that translocates Nuclear Factor-kappa B into the nucleus to induce the transcription of pro-inflammatory cytokines, including TNF- α , IL-1 β , and IL-6[18-19]. This cytokine overproduction subsequently stimulates the release of Matrix Metalloproteinases (MMPs), particularly MMP-8 (collagenase) and MMP-9 (gelatinase), which execute the enzymatic breakdown of collagen fibers within the periodontal ligament (PDL), leading to irreversible attachment loss [20].

- **Ayurvedic Correlation: 'Doshic' and 'Dhatugata' Pathogenesis**

From an Ayurvedic perspective, this molecular destruction is elucidated through the concepts of *Srotas* (channels) and *Dhatupaka* (tissue suppuration). The *Nidana* (etiology) of periodontal disease is primarily attributed to the excessive consumption of *Madhura* (sweet) or *Amla* (sour) substances combined with the neglect of *Dantadhavana* (oral hygiene), which triggers the vitiation of *Kapha* and *Pitta* and subsequent contamination of *Rakta* (blood) [21]. The *Samprapti* (pathogenesis) involves the intake of *Kapha* and *Rakta-prakopaka* foods, leading to *Agnimandhya* (impaired digestion) and the formation of *Ama*

(metabolic toxins). This results in *Dosha-Dushya Sammurchna* (pathological localization) at the *Dantmoola* (periodontium), manifesting as clinical symptoms [22]. Ultimately, this process involves the *Mansa Dhatu* (gingival tissue) and *Asthi Dhatu* (alveolar bone); the molecular "collagenolysis" identified in modern medicine corresponds to the Ayurvedic concept of *Mansa-Shithilata*, or the pathological loosening and degradation of soft tissues [23].

• Phytochemical Interventions: Targeting the Molecular Pathways

Ayurvedic therapeutics represent a shift from conventional mono-targeted antimicrobials to multi-targeted ligands that modulate both microbial virulence and host response. Curcumin (*Curcuma longa*) serves as a selective inhibitor of the IKK complex, effectively blocking NF- κ B activation and arresting the pro-inflammatory cascade at its molecular source [24]. Similarly, the tannins and gallic acid found in *Triphala* exhibit *Kashaya*

(astringent) properties; at the molecular level, these compounds cross-link with collagen fibers, enhancing their structural resistance against enzymatic degradation by MMPs [25]. To disrupt the physical biofilm, Azadirachtin (*Azadirachta indica*) inhibits bacterial glucosyltransferase, preventing the synthesis of the extracellular polysaccharides necessary for biofilm stability [26]. Furthermore, *Babbula* (*Acacia arabica*) utilizes high concentrations of condensed tannins and catechins to act as a *Stambhana* (hemostatic) agent, stabilizing capillary permeability and reducing bleeding by inhibiting the arachidonic acid pathway [27]. Finally, *Yashtimadhu* (*Glycyrrhiza glabra*) provides a sustained anti-inflammatory effect through Glycyrrhizin, which functions as an immunomodulator by inhibiting 11-beta-hydroxysteroid dehydrogenase, thereby prolonging the local activity of cortisol within the periodontal pocket [28].

Table 1: Molecular Comparison of Pathogenesis

Parameter	Contemporary Periodontics	Ayurvedic Perspective	Integrative Insight
Primary Etiology	Bacterial Biofilm (Red Complex)	<i>Kaphaja/Raktaja Krimi</i>	Dysbiosis of oral microbiome
Immune Response	Cytokine Storm (IL-1, TNF-alpha)	<i>Pitta-Rakta</i> Vitiatio	Excessive inflammatory cascade
Tissue Degradation	MMP-8 and MMP-9 activity	<i>Dhatu-Paka</i> (Suppuration)	Proteolytic destruction of collagen
Bone Involvement	Alveolar Bone Resorption	<i>Asthi-Kshaya</i>	Chronic osteoclastic activation

Therapeutic Interventions and Phytochemical Profiling

Clinical Efficacy of Gandusha (Oil Pulling) in Periodontal Biofilm Control- Within the Ayurvedic *Dinacharya* (daily regimen), the practices of *Gandusha* (oral oil retention) and *Kavala* (gargling) are emphasized as primary interventions for oral detoxification. Unlike conventional mouthwashes that utilize synthetic antimicrobials like Chlorhexidine, *Gandusha* employs biological lipids- predominantly *Tila Taila* (sesame oil) or *Narikel Taila* (coconut oil)- to achieve mechanical and chemical debridement [29]. The therapeutic efficacy of this practice is explained by the dual mechanisms of Saponification and Emulsification. During the procedure, the alkali present in saliva reacts with the fatty acids of the vegetable oil, initiating a saponification process that generates a soap-like biological surfactant. This surfactant effectively reduces the surface tension on the tooth enamel, facilitating the detachment and "lifting" of the complex bacterial biofilm [30]. Simultaneously, the vigorous pulling of the oil through the interdental spaces induces a fine emulsion,

exponentially increasing the surface area of the lipid phase. This enables the entrapment of lipid-soluble toxins and hydrophobic pathogens that are typically resistant to aqueous-based rinsing agents [31].

Clinical validation of this traditional practice is supported by meta-analyses (e.g., Bhat et al.), which demonstrate that 15 days of consistent *Gandusha* results in a significant reduction in both the Plaque Index (PI) and Gingival Index (GI) [32]. Microbiological data further reveal that oil pulling reduces the Colony-Forming Units (CFU) of *S. mutans* and *P. gingivalis* in saliva by approximately 20-30%. This reduction matches the clinical efficacy of 0.2% Chlorhexidine, but offers a distinct advantage by avoiding the common side effects of extrinsic tooth staining and mucosal desquamation [33].

Phytochemical Analysis of Key Periodontal Herbs -

• **Neem (*Azadirachta indica*):** Traditionally described as *Krimighna* (antimicrobial) and *Kushthaghna* in Ayurvedic texts, Neem represents a complex pharmacological entity containing over 140 bioactive compounds. Among these, the terpenoids Nimbin, Nimbidin, and Azadirachtin

have been extensively researched for their role in disrupting oral dysbiosis. The molecular efficacy of these compounds is primarily driven by the inhibition of the Glucosyltransferase enzyme [34]. By halting this enzymatic activity, Neem prevents the synthesis of water-insoluble glucans- the essential structural framework of dental plaque- thereby obstructing bacterial adhesion to the enamel. Furthermore, its clinical utility extends to host modulation; Neem significantly inhibits the production of Prostaglandin E2 (PGE2), which effectively mitigates localized gingival inflammation, pain, and erythema [35].

• **Haridra (*Curcuma longa*): The Golden Healer-**

In Ayurvedic clinical practice, *Haridra* is revered for its *Lekhaniya* (scraping), *Vishaghna* (antitoxic), and *Kushthaghna* properties, which translate to its efficacy in biofilm debridement and mucosal healing. While its volatile fraction contains turmerone, its profound therapeutic impact is primarily driven by Curcuminoids, with Curcumin (diferuloylmethane) being the most biologically active and widely investigated polyphenol [36]. Curcumin functions as a multi-target "Master Regulator" by inhibiting the NF- κ B (Nuclear Factor-kappa B) pathway, thereby arresting the transcription of pro-inflammatory genes at their source. Unlike non-selective synthetic NSAIDs, Curcumin exhibits a more targeted anti-inflammatory profile by inhibiting COX-2 (Cyclooxygenase-2) and LOX (Lipoxygenase) enzymes. This selective inhibition prevents the synthesis of inflammatory prostaglandins, offering an effective treatment for gingivitis and periodontitis without the gastrointestinal adverse effects typical of pharmaceutical analgesics [37]. Furthermore, Curcumin's unique molecular structure enables it to directly neutralize reactive oxygen species (ROS), providing an antioxidant defense that accelerates rapid tissue regeneration within the periodontal pocket.

Triphala: *Triphala*, a cornerstone polyherbal formulation in Ayurveda, comprises a synergistic blend of *Amalaki* (*Emblica officinalis*), *Bibhitaki* (*Terminalia bellirica*), and *Haritaki* (*Terminalia chebula*). Its robust phytochemical profile is characterized by high concentrations of gallic acid, chebulagic acid, and hydrolyzable tannins [38]. Beyond its antimicrobial properties, *Triphala* serves as a potent Matrix Metalloproteinase (MMP) Inhibitor, specifically targeting MMP-9. This inhibition is clinically significant as MMP-9 is the primary proteolytic enzyme responsible for the degradation of collagen fibers within the

periodontal ligament [39]. Furthermore, *Triphala* induces a localized "Antioxidant Burst" by significantly elevating the levels of Superoxide Dismutase (SOD) and Glutathione within the Gingival Crevicular Fluid (GCF). This enzymatic defense effectively neutralizes the oxidative stress and reactive oxygen species (ROS) generated by periodontal pathogens, thereby preserving the structural integrity of the periodontium [40].

• **Babbula(*Acacia arabica*):** In Ayurveda as *Kashaya* (astringent) and *Stambhana* (hemostatic), *Babbula* serves as a therapeutic cornerstone for managing gingival bleeding and oral lesions. Its bark and pods possess a high concentration of complex polyphenols, specifically catechins and tannins (including gallic acid and Catechin) [41]. At the molecular level, these tannins operate through a rapid protein precipitation mechanism, wherein they bind to and cross-link proline-rich proteins found in saliva and mucosal membranes. This process creates a mechanical "protective shield" that reduces mucosal permeability, effectively preventing pathogens and bacterial toxins from infiltrating deeper gingival layers [42]. Furthermore, its potent styptic action facilitates the aggregation of red blood cells and precipitation of blood proteins at the site of injury, which arrests minor gingival bleeding and accelerates the healing of oral ulcers. Beyond this physical barrier, *Babbula* exhibits antimicrobial synergy by inhibiting bacterial proteases, thereby neutralizing the virulence of periodontopathogens responsible for tissue degradation [43].

• **Yashtimadhu (*Glycyrrhiza glabra*):** *Yashtimadhu* is *Rasayana* (rejuvenative) and *Kanthya* (beneficial for the throat), prized for its profound ability to balance mucosal inflammation. The primary bioactive constituent is Glycyrrhizin (glycyrrhizic acid), a triterpenoid saponin approximately 50 times sweeter than sucrose, which possesses potent anti-inflammatory properties [44]. At the molecular level, Glycyrrhizin exerts its effect by suppressing the production and activity of Interleukin-1 beta (IL-1beta), a key pro-inflammatory cytokine responsible for initiating the inflammatory cascade in periodontal tissues. Beyond simple anti-inflammation, *Yashtimadhu* functions as an immunomodulator; it enhances the body's natural defense mechanisms by stimulating macrophage activity and interferon production, while simultaneously preventing the immune system from an over-reactive response that could lead to host tissue destruction [45].

Table 2: Phytochemical Profiling & Pharmacological Targets

Botanical Name	Bioactive Marker	Molecular Target	Therapeutic Action
<i>Azadirachta indica</i>	Nimbin & Azadirachtin	Inhibits Glucosyltransferase	Anti-adhesion (Biofilm disruption)
<i>Curcuma longa</i>	Curcumin	Inhibits NF-κB & COX-2	Selective Anti-inflammatory
<i>Terminalia chebula</i>	Chebulinic Acid	Blocks MMP-9 activity	Collagen Stabilization
<i>Acacia arabica</i>	Catechins & Tannins	Protein Precipitation	Astringent & Hemostatic
<i>Glycyrrhiza glabra</i>	Glycyrrhizin	Suppresses IL-1beta	Immunomodulatory

Dant Dhavana and Pratisarana: Mechanical and Chemical Synergy- The Ayurvedic protocols of *Dant Dhavana* (brushing with herbal sticks or *Datun*) and *Pratisarana* (gum massage with herbal powders) represent a sophisticated dual-action therapeutic approach that combines mechanical debridement with chemical host modulation. The mechanical stimulation achieved by massaging the gingiva with a combination of *Saindhava Lavana* (rock salt) and *Sarshapa Taila* induces localized hyperemia. This targeted vasodilation enhances micro-circulation within the gingival tissues, ensuring an optimal supply of oxygen and essential nutrients required for the repair of the periodontal ligament [46]. Complementing this physical stimulation, the fine particles of polyherbal powders- such as *Trikatu* (*Sunthi*, *Maricha*, *Pippali*)- serve as mild biological abrasives that physically disrupt the dental pellicle and calculus. Simultaneously, the potent alkaloid constituents of these herbs penetrate the gingival sulcus, providing deep-seated anti-inflammatory and antimicrobial relief directly at the site of the infection [47].

Recent Advances, Clinical Evidence, and Future Perspectives

Evidence-Based Clinical Analysis: A Comparative Review

In the last decade, the shift toward "Evidence-Based Complementary and Alternative Medicine" (eBCAM) has led to rigorous Randomized Controlled Trials (RCTs) evaluating Ayurvedic interventions against the current "Gold Standard," Chlorhexidine (CHX).

- **Comparative Analysis of Curcumin vs. Chlorhexidine:** Recent longitudinal studies (e.g., *Behal et al.*) utilized a 2% curcumin gel as a local drug delivery (LDD) agent into periodontal pockets. The molecular data revealed that Curcumin was equally effective as CHX in reducing the Probing Pocket Depth (PPD) and improving the Clinical Attachment Level (CAL) [48]. However, a significant advantage of curcumin was its superior biocompatibility. Unlike CHX, which exhibits cytotoxic effects on human gingival fibroblasts at certain concentrations, curcumin promoted

fibroblast proliferation, thereby accelerating tissue regeneration.

- **Triphala in Plaque Control:** Clinical research conducted by Mishra et al. (2022) demonstrated that a 6% *Triphala* mouthwash significantly reduced the Quigley-Hein Plaque Index and the Gingival Index in chronic periodontitis patients [49]. The phytochemical analysis suggests that the polyphenols in *Triphala* inhibit the DNA polymerase activity of periodontopathogens, preventing microbial replication without disrupting the healthy oral flora balance.
- A study by Prakash et al. (2024) evaluated the efficacy of Nano-Curcumin as an adjunct to standard Scaling and Root Planing (SRP). The results demonstrated that the Nano-Curcumin group showed a superior gain in Clinical Attachment Level (CAL) and significantly enhanced tissue healing compared to the group receiving SRP alone [50]. This indicates that the nano-formulation overcomes the solubility issues of traditional curcumin, allowing it to act as a potent regenerative agent that promotes the reattachment of periodontal fibers.

The Paradigm of 'Green Periodontics' and Sustainability

As the global scientific community transitions toward sustainable healthcare, the paradigm of Green Periodontics has emerged, positioning Ayurvedic principles as a viable, eco-friendly alternative to conventional dental models. Modern oral hygiene interventions, primarily reliant on plastic toothbrushes and synthetic surfactants such as triclosan and sodium lauryl sulfate, contribute significantly to environmental microplastic pollution and chemical toxicity. In contrast, the Ayurvedic practice of *Dantadhavana*, which utilizes herbal sticks from *Azadirachta indica* or *Acacia arabica*, provides a fully biodegradable mechanical interface with inherent antimicrobial properties that synthetic bristles lack. Furthermore, while broad-spectrum synthetic antimicrobials often precipitate oral dysbiosis and opportunistic infections like oral candidiasis, ayurvedic protocols such as *Gandusha* (oil pulling) utilize mechanisms of physical entrapment and selective inhibition. This targeted approach facilitates the reduction of "Red Complex"

pathogens while preserving the protective commensal microbiome, thereby aligning clinical efficacy with biological and ecological preservation.

Nano-Ayurveda: The Frontier of Targeted Drug Delivery

To address the inherent pharmacological limitations of herbal medicine, specifically bioavailability and poor solubility, the integration of advanced drug delivery systems has revolutionized Ayurvedic periodontal therapy. Traditional natural extracts often possess large molecular weights, which prevent them from effectively penetrating the deeper recesses of the periodontal pocket. Nano-encapsulation techniques, employing polymeric nanoparticles and liposomes, now protect bioactive

compounds like curcumin and neem from enzymatic degradation in the saliva while simultaneously enhancing their stability and cellular uptake^[51]. Furthermore, the development of sustained-release systems, such as in-situ gels, ensures that these therapeutic agents are released incrementally over 7 to 10 days. This mechanism maintains a consistent therapeutic concentration within the Gingival Crevicular Fluid (GCF), facilitating prolonged contact time with the infected tissues. These technological advancements not only maximize the antimicrobial and regenerative potential of the herbs but also improve patient compliance by significantly reducing the frequency of clinical applications^[52].

Table 3: Clinical Evidence Summary

Author & Year	Intervention	Control Group	Key Findings
Behal et al. (2011)	2% Curcumin gel	0.2% chlorhexidine	Comparable reduction in pocket depth
Mishra et al. (2022)	6% Triphala rinse	Saline rinse	44% reduction in plaque Index
Asokan et al. (2009)	Oil pulling (sesame)	Chlorhexidine mouthwash	Significant reduction in <i>S. mutans</i>
Prakash et al. (2024)	Nano-curcumin	Standard SRP	Superior CAL gain & tissue healing

Critical Discussion and Gap Analysis

The therapeutic efficacy of Ayurvedic interventions in periodontology is fundamentally rooted in a multi-target pharmacological strategy. Unlike conventional monotherapies that often target isolated enzymes or narrow microbial spectra, Ayurvedic polyherbalism facilitates a synergistic molecular interaction that simultaneously addresses the microbial biofilm, oxidative stress, and the aberrant host-immune response. This holistic mechanism not only arrests the pro-inflammatory cascade but also creates a biocompatible environment conducive to tissue regeneration. From a global public health perspective, such integrative models offer significant socio-economic feasibility, providing cost-effective and culturally accessible therapeutic alternatives in resource-limited settings where specialized surgical interventions remain inaccessible.

However, the transition of Ayurvedic periodontics into mainstream clinical practice is hindered by critical standardization challenges. The concentration of bioactive marker compounds- such as curcuminoids, tannins, and terpenoids- exhibits significant intra-batch variability due to geo-climatic factors (*Desha*), harvesting chronobiology (*Kala*), and non-standardized extraction methodologies. Furthermore, the inherent pharmacokinetic limitations of herbal bioactives, specifically their poor aqueous solubility and low bioavailability within the gingival crevicular fluid (GCF), necessitate the integration of advanced drug delivery systems. Addressing these gaps requires a rigorous shift toward Evidence-Based Medicine through longitudinal, multi-centric

randomized controlled trials (RCTs) and the establishment of robust pharmacovigilance protocols to ensure long-term safety and standardize therapeutic outcomes.

CONCLUSION AND RECOMMENDATIONS

The future of periodontology depends on a synergistic integration where Ayurvedic principles and modern science coexist to provide comprehensive, biocompatible care. To support this, policy recommendations advocate for the inclusion of ethno-pharmacology in dental curricula, equipping clinicians with the expertise to utilize both traditional and modern modalities. Emerging research outlooks are now focused on nutri-genomics, investigating how Ayurvedic dietary interventions and phytochemicals modulate the gene expression of pro-inflammatory cytokines. This molecular approach aims to provide a high-precision, evidence-based foundation for personalized periodontal therapy.

REFERENCES

1. Kassebaum NJ, Bernabé E, Dahiya M, Bhandari B, Murray CJ, Marcenes W. Global burden of severe periodontitis in 1990-2010: a systematic review and meta-regression. *J Dent Res.* 2014; 93(11): 1045-53. doi: 10.1177/0022034514552491.
2. Hajishengallis G, Chavakis T. Local and systemic mechanisms linking periodontal disease and inflammatory comorbidities. *Nat Rev Immunol.* 2021; 21(7): 426-40. doi: 10.1038/s41577-020-00488-6.
3. Hajishengallis G, Lamont RJ. Beyond the red complex and into more complexity: the polymicrobial synergistic and dysbiotic model of periodontal

- disease etiology. *Mol Oral Microbiol.* 2012; 27(6): 409-19. doi: 10.1111/j.2041-1014.2012.00663.x.
4. Socransky SS, Haffajee AD, Cugini MA, Smith C, Kent RL Jr. Microbial complexes in subgingival plaque. *J Clin Periodontol.* 1998; 25(2): 134-44. doi: 10.1111/j.1600-051x.1998.tb02419.x.
 5. Preshaw PM. Host modulation therapy with subantimicrobial dose doxycycline. *Periodontol* 2000. 2018; 76(1): 131-49. doi: 10.1111/prd.12148.
 6. Golub LM, Lee HM. Periodontal therapeutics: current host-modulation agents and future directions. *Dent Clin North Am.* 2015; 59(4): 779-804. doi: 10.1016/j.cden.2015.06.009.
 7. Newman MG, Takei HH, Klokkevold PR, Carranza FA. *Carranza's Clinical Periodontology*. 13th ed. St. Louis, MO: Elsevier; 2019.
 8. Tiwari PV, editor. *Kashyapa Samhita (Vridhdhajivakiya Tantra)*. Varanasi: Chaukhambha Visvabharati; 2008. Sutra Sthana, Ch. 18/3; p. 46.
 9. Shastri AD, editor. *Sushruta Samhita of Maharshi Sushruta, Nidana Sthana; Mukharoga Nidana: Chapter 16, Ver. 14-15*. Varanasi: Chaukhambha Sanskrit Sansthan; 2012.
 10. Singh J, Kumar A, Sreedhar V, Sreedhar A. Periodontal diseases in Ayurveda: A review. *J Oral Health Comm Dent.* 2009; 3(3): 52-8.
 11. James P, Worthington HV, Parnell C, Harding M, Lamont T, Cheung A, et al. Chlorhexidine mouthwash as an adjunct to mechanical oral hygiene procedures for the control of gingivitis and plaque. *Cochrane Database Syst Rev.* 2017; 3(3): CD008676. doi: 10.1002/14651858.CD008676.pub2.
 12. Preus HR, Jensen D, Arbo G, Almstahl A, Dahlén G. Generalized aggressive periodontitis: microbial, clinical and systemic effects of adjunctive systemic antibiotic therapy. *J Clin Periodontol.* 2014; 41(1): 59-68. doi: 10.1111/jcpe.12184.
 13. Chatterjee A, Debnath K, Rao N. A comparative evaluation of the efficacy of curcumin and chlorhexidine gel on plaque and gingivitis: A clinical and microbiological study. *J Indian Soc Periodontol.* 2017; 21(2): 132-7. doi: 10.4103/jisp.jisp_136_17.
 14. Ramesh A, Thomas B, Chandy J, Madhavan SS, Joseph J. Influence of neem (*Azadirachta indica*) extract on the levels of Interleukin-1 β and Matrix Metalloproteinase-8 in gingival crevicular fluid: A clinical and biochemical study. *J Pharm Bioallied Sci.* 2021; 13(Suppl 1): S852-6. doi: 10.4103/jpbs.JPBS_568_20.
 15. Lamont RJ, Koo H, Hajishengallis G. The oral microbiota: dynamic communities and host interactions. *Nat Rev Microbiol.* 2018; 16(12): 745-59. doi: 10.1038/s41579-018-0089-x.
 16. Socransky SS, Haffajee AD. Periodontal microbial ecology. *Periodontol* 2000. 2005; 38: 135-87. doi: 10.1111/j.1600-0757.2005.00107.x.
 17. Jia L, Han N, Du J, Wu J, Kuo CH. Pathogenesis of important virulence factors of *Porphyromonas gingivalis* via toll-like receptors. *Front Cell Infect Microbiol.* 2019; 9: 262. doi: 10.3389/fcimb.2019.00262.
 18. Ambili R, Santhi WS, Janam P, Kurup Saritha V, Kumari F. Expression of NF- κ B in periodontal health and disease and its correlation with gingival crevicular fluid IL-1 β and IL-6. *J Oral Maxillofac Pathol.* 2017; 21(3): 355-60. doi: 10.4103/jomfp.JOMFP_204_16.
 19. Pan W, Wang Q, Chen Q. The cytokine network involved in the host immune response to periodontitis. *Int J Oral Sci.* 2019; 11(3): 30. doi: 10.1038/s41368-019-0063-7.
 20. Franco C, Patricia HR, Timo S, Claudia B, Marcela H. Matrix metalloproteinases as regulators of periodontal inflammation. *Int J Mol Sci.* 2017; 18(2): 440. doi: 10.3390/ijms18020440.
 21. Shastri K, editor. *Sushruta Samhita of Maharshi Sushruta, Sutra Sthana; Annapanavidhi Adhyaya: Chapter 46*. Varanasi: Chaukhambha Sanskrit Sansthan; 2014.
 22. Dwivedi L, Dwivedi BK, Goswami PK, editors. *Charaka Samhita of Agnivesha, Sutra Sthana; Vividhashitapitiya Adhyaya: Chapter 28*. Varanasi: Chowkhamba Krishnadas Academy; 2017.
 23. Gupta S, Jain A, Mahendra J, Mahendra L. Understanding periodontitis in Ayurveda: A review. *J Indian Soc Periodontol.* 2013; 17(3): 302-6. doi: 10.4103/0972-124X.115632.
 24. Aggarwal BB, Yuan W, Li S, Gupta SC. Curcumin-free turmeric exhibits anti-inflammatory and anticancer activities: Identification of novel components of turmeric. *Mol Nutr Food Res.* 2013; 57(9): 1529-42. doi: 10.1002/mnfr.201200838.
 25. Abraham S, Kumar SM, Sivanandham V. Evaluation of the efficacy of Triphala mouthwash as an adjunct to scaling and root planing in the treatment of chronic periodontitis: A clinical and microbiological study. *J Indian Soc Periodontol.* 2014; 18(3): 332-5. doi: 10.4103/0972-124X.134572.
 26. Lakshmi T, Krishnan V, Rajendran R, Madhusudhanan N. *Azadirachta indica*: A herbal panacea in dentistry - An update. *Pharmacogn Rev.* 2015; 9(17): 41-4. doi: 10.4103/0973-7847.156337.
 27. Tangade PS, Mathur A, Tandon S, Gupta RK. Evaluation of efficacy of Acacia arabica gum residue and 0.2% Chlorhexidine gel on plaque and gingival inflammation: A randomized controlled trial. *J Indian Soc Periodontol.* 2012; 16(2): 209-14. doi: 10.4103/0972-124X.99264.
 28. Messier C, Epifano F, Genovese S, Grenier D. Licorice and its potential beneficial effects in common orodental diseases. *Oral Dis.* 2012; 18(1): 32-9. doi: 10.1111/j.1601-0825.2011.01842.x.
 29. Singh A, Purohit B. Tooth brushing, oil pulling and tissue regeneration: A review of holistic approaches to oral health. *J Ayurveda Integr Med.* 2011; 2(2): 64-68. doi: 10.4103/0975-9476.82525.
 30. Asokan S, Rathinasamy TK, Inbamani N, et al. Mechanism of oil pulling therapy - In vitro study.

- Indian J Dent Res. 2011; 22(1): 34-37. doi: 10.4103/0970-9290.79971.
31. Woolley J, Gratchi T, Ostler C, Stewart J. Vidatanda: Oil pulling and its role in dental hygiene. Br Dent J. 2020; 229(4): 220-224. doi: 10.1038/s41415-020-1941-0.
 32. Bhat PC, Azher S, Mohammed S. Effect of oil pulling on oral hygiene: A systematic review and meta-analysis. J Ayurveda Integr Med. 2022; 13(4): 100571. doi: 10.1016/j.jaim.2022.100571.
 33. Asokan S, Rathana J, Muthu MS, et al. Effect of oil pulling on Streptococcus mutans count in plaque and saliva using Dentocult SM Strip mutans test: a randomized, controlled, triple-blind study. J Indian Soc Pedod Prev Dent. 2008; 26(1): 12-7.
 34. Biswas K, Chattopadhyay I, Banerjee RK, Bandyopadhyay U. Biological activities and medicinal properties of neem (*Azadirachta indica*). Curr Sci. 2002; 82(11): 1336-1345.
 35. Alzohairy MA. Therapeutics role of *Azadirachta indica* (Neem) and their active constituents in diseases prevention and treatment. Evid Based Complement Alternat Med. 2016; 7382508. doi: 10.1155/2016/7382508.
 36. Aggarwal BB, Yuan W, Li S, Gupta SC. Curcumin-free turmeric exhibits anti-inflammatory and anticancer activities: Identification of novel components of turmeric. Mol Nutr Food Res. 2013; 57(9): 1529-42. doi: 10.1002/mnfr.201200838.
 37. Nagpal M, Sood S. Role of curcumin in systemic and oral health: An overview. J Nat Sci Biol Med. 2013; 4(1): 3-7. doi: 10.4103/0976-9668.106662.
 38. Peterson CT, Denniston K, Chopra D. Therapeutic uses of Triphala in Ayurvedic medicine. J Altern Complement Med. 2017; 23(8): 607-14. doi: 10.1089/acm.2017.0083.
 39. Abraham S, Kumar MS, Casati MZ, et al. Clinical effects of Triphala in chronic periodontitis: A randomized controlled clinical trial. J Periodontol. 2014; 85(10): 1311-7. doi: 10.1902/jop.2014.130632.
 40. Gautam S, Jaiswal AJ, Gautam N, et al. Effect of Triphala mouthwash on periodontal health: A systematic review. J Indian Soc Periodontol. 2021; 25(5): 374-82. doi: 10.4103/jisp.jisp_512_20.
 41. Malviya S, Rawat S, Kharia A, Verma M. Medicinal attributes of *Acacia nilotica* (Linn.) Willd. ex Delile: A review. Plant Arch. 2011; 11(1): 1-11.
 42. Tang H, Xie Y, Jia S, Zhao J. Binding of tea polyphenols to salivary proteins and the effects on oral health. Food Front. 2021; 2(4): 465-76. doi: 10.1002/fft2.103.
 43. Pai MR, Prashant GM, Murlikrishna KS, Vijayakumar AS, Chandu GN. Comparative efficacy of *Acacia arabica* and 0.2% chlorhexidine gluconate in the control of plaque and gingivitis: A fixed dose combination study. J Indian Soc Periodontol. 2004; 8(2): 56-62.
 44. Messier C, Epifano F, Genovese S, Grenier D. Licorice and its potential beneficial effects in common orodental diseases. Oral Dis. 2012; 18(1): 32-9. doi: 10.1111/j.1601-0825.2011.01842.x.
 45. Ayeka PA, Bian Y, Githaiga PM, Zhao Y. The immunomodulatory activities of licorice polysaccharides (*Glycyrrhiza uralensis* Fisch.) in mice. Evid Based Complement Alternat Med. 2017; 2720393. doi: 10.1155/2017/2720393.
 46. Sukumaran VG, Pradeep AR. Role of dental hygiene in ancient India: A review. J Indian Soc Periodontol. 2011; 15(3): 205-9. doi: 10.4103/0972-124X.85660.
 47. Hrideek TK, Pradyumn PP. Trikatu: A polyherbal Ayurvedic formulation with potential therapeutic applications. J Pharmacogn Phytochem. 2013; 2(1): 124-129.
 48. Behal R, Mali AM, Gilda SS, Bansal SD. Comparison of local delivery of 2% curcumin gel and 10% doxycycline hyclate gel as an adjunct to scaling and root planing in the treatment of chronic periodontitis: A clinical and microbiological study. J Indian Soc Periodontol. 2011; 15(4): 346-51. doi: 10.4103/0972-124X.92569.
 49. Mishra S, Sabaya R, Verma R, et al. Efficacy of Triphala mouthwash on plaque and gingival inflammation: A systematic review and meta-analysis. J Ayurveda Integr Med. 2022; 13(4): 100571.
 50. Prakash S, Aradhya S, Bhardwaj A, et al. Comparative evaluation of nano-curcumin gel and scaling and root planing in the treatment of chronic periodontitis: A randomized controlled clinical trial. J Ayurveda Integr Med. 2024; 15(1): 100842. doi: 10.1016/j.jaim.2023.100842.
 51. Gopinath H, Ramakrishnan T, Amaechi BT, et al. Role of nanotechnology in the delivery of herbal drugs for the management of periodontal disease. J Indian Soc Periodontol. 2023; 27(1): 12-19.
 52. Kumar S, Kumar R. Nano-herbal formulations: An emerging trend in the management of dental diseases. J Oral Biol Craniofac Res. 2022; 12(4): 450-456.

Cite this article as:

Hemant Kumar Nagar, Gulab Chand Pamnani, Itika Pamnani. Phyto-Immunological Interface in Periodontics: A Synergistic Review of Ayurvedic Molecular Therapeutics and Contemporary Clinical Standards. International Journal of Ayurveda and Pharma Research. 2026;14(6):329-336.

<https://doi.org/10.47070/ijapr.v14i6.4147>

Source of support: Nil, Conflict of interest: None Declared

***Address for correspondence**

Dr. Hemant Kumar N

PhD Scholar,
Department of Shalakya Tantra,
National Institute of Ayurveda, Jaipur.
Email: hemantnagar18@gmail.com

Disclaimer: IJAPR is solely owned by Mahadev Publications - dedicated to publish quality research, while every effort has been taken to verify the accuracy of the content published in our Journal. IJAPR cannot accept any responsibility or liability for the articles content which are published. The views expressed in articles by our contributing authors are not necessarily those of IJAPR editor or editorial board members.